

To: Egan, Robert[egan.robert@epa.gov]
From: Saari, Christopher A - DNR
Sent: Thur 8/3/2017 9:30:30 PM
Subject: FW: ROARS - Example for Tower Standard
[143 RAOR.xls](#)
[0259559619 County HWY Shop RAOR.pdf](#)

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari
Phone: (715) 685-2920
Christopher.Saari@Wi.gov

From: Fassbender, Judy L - DNR
Sent: Monday, July 10, 2017 12:51 PM
To: Edelstein, Gary A - DNR
Cc: Carey, Angela J - DNR; Saari, Christopher A - DNR
Subject: FW: ROARS - Example for Tower Standard

I left a message for Chris Saari to see if he has a ROAR template we could use for Tower Standard. The two main options will likely be SVE and excavation. The contaminant of concern is gasoline. Rox provided a list of sites from BRRTS that submitted a ROAR for fee based review in the recent past (excel table below). The attached document has a good format and a few of the right pieces is attached. Can you work with Chris to confirm if he has an example in mind for use as a template? If he does not, can you check out the documents posted on BRRTS to see if there is a useful one there for a starting point? Thanks for your help with this.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Judy Fassbender
Phone: (608) 266-7278
Judy.Fassbender@Wisconsin.gov

From: Chronert, Roxanne N - DNR
Sent: Monday, July 10, 2017 11:40 AM
To: Fassbender, Judy L - DNR
Subject: ROARS

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Roxanne Nelezen Chronert

Northeast Region Remediation and Redevelopment Team Supervisor

Wisconsin Department of Natural Resources

2984 Shawano Avenue, Green Bay WI 54313-6727

Phone: (920) 662-5120

Cell Phone: (920) 362-3981

Roxanne.chronert@Wisconsin.gov



dnr.wi.gov

